

## Exam test results

# Assessmentee.com

### Summary

Date	Wednesday 18 May 2022
User ID	210946
Assessment	PHP
No. questions	10
Questions skipped	0
Questions answered	10
Questions correct	8
Question incorrect	2
Score	6
Time allowed (min)	10
Duration (h:m:s)	0:03:30

## Exam test results

Question: 1

**What is the outcome of this piece of code?**

```
class A {  
    private $value = 3;  
}  
$a = new A;  
$b = $a;  
$c = clone $a;  
  
echo ($a === $b)?"1":"0";  
echo ($c === $b)?"1":"0";  
echo ($a instanceof $b)?"1":"0";  
echo ($c instanceof $b)?"1":"0";
```

A 1011

B 1010

C 1000

D 1111

## Exam test results

Question: 2

How is \$str1 NOT converted to \$str2?

```
$str1 = 'Belgium is a UN member';  
$str2 = 'Belgium is a EU member';
```

- A `$str2 = replace('UN','EU',$str1);`
- B `$str2 = str_replace('UN','EU',$str1);`
- C `$str2 = str_ireplace('UN','EU',$str1);`
- D `$str2 = preg_replace('/UN/','EU',$str1);`

## Exam test results

Question: 3

**SQL injection can not be prevented by**

- A making use of magic quotes
- B properly escaping user input used in the SQL
- C validating user input before using it in a SQL query
- D making use of the `mysql_real_escape_string` function

## Exam test results

Question: 4

**True or false? The function 'file\_get\_contents' reads an entire file into an array whereas the function 'file' returns the entire file as a string.**

A  False

B  True

## Exam test results

Question: 5

The `fpassthru()` function outputs the content of a file from beginning to end

A FALSE

B TRUE

## Exam test results

Question: 6

**What is the outcome of this piece of code:**

```
function a($b = 1)
{
    return $b;
}
echo a(6);
```

A 6

B 1

C false

D fatal error

## Exam test results

Question: 7

What is the outcome of this piece of code?

```
var_dump(is_string('abc'));  
var_dump(is_string("23"));  
var_dump(is_string(23.5));  
var_dump(is_string(true));
```

A `bool(true)`  
`bool(true)`  
`bool(false)`  
`bool(false)`

B `true`  
`true`  
`false`  
`false`

C `bool(true)`  
`bool(true)`  
`bool(false)`  
`bool(true)`

D `bool(true)`  
`bool(false)`  
`bool(false)`  
`bool(false)`



## Exam test results

Question: 8

What is the outcome of this piece of code:

```
$a = true;  
echo $a;
```

- A 1
- B true
- C TRUE
- D nothing is returned

## Exam test results

Question: 9

**True or false? A class can have multiple interfaces but a class can only extend one abstract class**

A  True

B  False

## Exam test results

Question: 10

**True or false? The class constructor method should always be public.**

A  true

B  false